

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1725	(pre or early or run-ahead or (run adj ahead) or advanced) near2 execution	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/02 10:22
L2	77392	(pre or early or run-ahead or (run adj ahead) or advanced) near2 (execut\$3 or process\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/02 10:31
L3	2452948	(protection near2 bit) or lock\$3 or pin\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/02 10:24
L4	626	L2 with L3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/02 10:25
L5	1607	L2 same L3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/02 10:24
L6	16	"711"/\$.ccls. and L4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/02 10:33
L7	0	("2002/0116584").URPN.	USPAT	OR	ON	2005/03/02 10:26
L8	2587	(execut\$3 or process\$3) near3 (prefetch\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/02 10:43
L9	813	"711"/\$.ccls. and L8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/02 10:33
L10	41	"711"/\$.ccls. and (L8 same L3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/02 10:44

L11	19	(execut\$3 near3 prefetch\$3 near3 thread)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/02 10:44
L12	0	(L11 same L3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/02 10:44
L13	1909	(premature or predictive or anticipated or pre or early or run-ahead or (run adj ahead) or advanced) near2 execution	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/02 10:53
L14	5	L13 and "711"/204.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 10:54
L15	6	L13 and "711"/213.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 10:54
L19	7	(run adj ahead) near3 prefetch\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 11:23
S1	216	mode same (protect\$3 with clear)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/06 15:40
S2	5	mode same ((protect\$3 near3 bit) with clear)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/06 15:40
S3	1226015	(protection near2 bit) or lock\$3 or read-only or (read adj only)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/02 10:23
S4	1456	(premature or predictive or anticipated or pre or early or run-ahead or (run adj ahead) or advanced) near2 execution	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/02 10:22

S5	516	((protection near2 bit) or lock\$3 or read-only or (read adj only)) and ((premature or predictive or anticipated or pre or early or run-ahead or (run adj ahead) or advanced) near2 execution)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/23 16:26
S6	24	((protection near2 bit) or lock\$3 or read-only or (read adj only)) same ((premature or predictive or anticipated or pre or early or run-ahead or (run adj ahead) or advanced) near2 execution)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/23 16:26
S7	475	(premature or predictive or anticipated or pre or early or run-ahead or (run adj ahead) or advanced) adj execution	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/23 16:37
S8	35	(prefetch or lookahead) same ((premature or predictive or anticipated or pre or early or run-ahead or (run adj ahead) or advanced) near2 execution)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/23 16:37
S9	231	(prefetch or lookahead) same ((protection near2 bit) or lock\$3 or read-only or (read adj only))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/23 16:39
S10	82	(prefetch or lookahead) with ((protection near2 bit) or lock\$3 or read-only or (read adj only))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/23 16:45
S11	41	(prefetch or lookahead) near3 ((protection near2 bit) or lock\$3 or read-only or (read adj only))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/23 16:45
S12	1	lock near3 evict	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/30 17:21
S13	14	protect same prefetch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/06 13:43

S14	49	(protect\$3 or lock) with (prefetch or lookahead)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/30 17:21
S15	13	lock near3 prefetch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/30 17:22
S16	17	prefetch same evict	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/30 17:21
S17	787	lock and prefetch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/30 17:22
S18	534	("711"/ "137", "133", "141", "144", "145") and lock and prefetch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/30 17:23
S19	527	("712"/ "207", "230", "244") and lock and prefetch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/30 17:23
S20	2	"20020116584".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/13 17:02
S21	3	((premature or predictive or anticipated or pre or early or run-ahead or (run adj ahead) or advanced) near2 execution) and multithread	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/13 17:08
S22	16	((protection near2 bit) or lock\$3 or read-only or (read adj only)) with ((premature or predictive or anticipated or pre or early or run-ahead or (run adj ahead) or advanced) near2 execution)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/06 13:39
S23	1	protect same run-ahead	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/06 13:43

S24	2	protect same (run-ahead or (run adj ahead))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/06 13:43
S25	2	protect same (run-ahead or (run adj ahead) or pre-execute or (pre-execute))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/06 13:44
S26	307	(run-ahead or (run adj ahead) or pre-execute or (pre-execute))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/06 13:46
S27	19	((run-ahead or (run adj ahead) or pre-execute or (pre-execute))) same (protect or lock)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/06 13:44
S28	45	(run-ahead or pre-execute or (pre adj execute) or preexecute)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/06 15:38
S29	2	"5983324".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 15:07
S30	1908	(premature or predictive or anticipated or pre or early or run-ahead or (run adj ahead) or advanced) near2 execution	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/24 15:42
S31	171	S30 and "711"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 15:32
S32	21	S30 and "711"/137.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 15:27
S33	5	S30 and "711"/204.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 15:27

S34	29	S30 same ((protect\$4 near3 (bit or flag)) or lock\$3 or pin\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 15:43
S35	12	S30 with ((protect\$4 near3 (bit or flag)) or lock\$3 or pin\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 15:32
S36	3	S34 and "711"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 15:32
S37	0	("2002/0116584").URPN.	USPAT	OR	ON	2005/02/24 15:33
S38	324	run-ahead or (run adj ahead)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/24 15:42
S39	40	S38 same ((protect\$4 near3 (bit or flag)) or lock\$3 or pin\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 15:43

[IEEE HOME](#) | [SEARCH IEEE](#) | [SHOP](#) | [WEB ACCOUNT](#) | [CONTACT IEEE](#)

[Membership](#) | [Publications/Services](#) | [Standards](#) | [Conferences](#) | [Careers/Jobs](#)
IEEE Xplore®
RELEASE 1.8

IEEE Xplore®
1 Million Documents
1 Million Users
[MORE ABOUT](#)
[Help](#) | [FAQ](#) | [Terms](#) | [IEEE Peer Review](#)
[Quick Links](#)
» [Sea](#)
Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

Your search matched **0** of **1131693** documents.

A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.

Refine This Search:

You may refine your search by editing the current search expression or enterin new one in the text box.

☐ Check to search within this result set

Results Key:

JNL = Journal or Magazine **CNF** = Conference **STD** = Standard

= Your access to full-text

Results:

No documents matched your query.

[Print Format](#)

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved